



US Patent &amp; Trademark Office

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

SYNC pulse skew sampling compensation jitter clock domain a

SEARCH


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

**SYNC pulse skew sampling compensation jitter clock domain addisson**

Found 2,152 of 142,983

Sort results by

relevance

Display results

expanded form

☒ Save results to a Binder

☒ Search Tips

☐ Open results in a new window

[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐

### 1 [Time synch and localization: Asymptotically optimal time synchronization in dense sensor networks](#)

An-swol Hu, Sergio D. Servetto

 September 2003 **Proceedings of the 2nd ACM international conference on Wireless sensor networks and applications**

 Full text available: [pdf\(195.22 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We consider the problem of synchronization of all clocks in a sensor network, in the regime of asymptotically high node densities. We formulate this problem as one in which all clocks must line up with the clock of an arbitrary node in the network (of course *without* assuming that this clock can be observed everywhere in the network, nor assuming that this node has any special hardware--this node could be any). We give a state-space description for the generation of observable data as a fu ...

### 2 [Special issue on wireless pan & sensor networks: TSync: a lightweight bidirectional time synchronization service for wireless sensor networks](#)

Hui Dai, Richard Han

 January 2004 **ACM SIGMOBILE Mobile Computing and Communications Review**, Volume 8 Issue 1

 Full text available: [pdf\(453.89 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)

Time synchronization in a wireless sensor network is critical for accurate timestamping of events and fine-tuned coordination of wake/sleep duty cycles to reduce power consumption. This paper proposes TSync, a novel lightweight bidirectional time synchronization service for wireless sensor networks. TSync's bidirectional service offers both a push mechanism for accurate and low overhead global time synchronization as well as a pull mechanism for on-demand synchronization by individual sensor nod ...

### 3 [Physical interface: Fine-grained network time synchronization using reference broadcasts](#)

Jeremy Elson, Lewis Girod, Deborah Estrin


 December 2002 **ACM SIGOPS Operating Systems Review**, Volume 36 Issue SI

 Full text available: [pdf\(2.10 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citing](#)

Recent advances in miniaturization and low-cost, low-power design have led to active research in large-scale networks of small, wireless, low-power sensors and actuators. Time synchronization is critical in sensor networks for diverse purposes including sensor data fusion, coordinated actuation, and power-efficient duty cycling. Though the clock accuracy and precision requirements are often stricter than in traditional distributed systems, strict energy constraints limit the resources available ...

#### 4 Design of half-rate clock and data recovery circuits for optical communication systems

Jafar Savoj, Behzad Razavi

June 2001 **Proceedings of the 38th conference on Design automation**Full text available:  pdf(1.78 MB)Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper describes the design of two half-rate clock and data recovery circuits for optical receivers. Targeting the data rate of 10-Gb/s, the first implementation incorporates a ring oscillator and a linear phase detector whereas the second implementation uses a multiphase LC oscillator and a bang-bang phase/frequency detector. Fabricated in 0.18- $\mu$ m CMOS technology, the power consumption of each of the circuits is less than 100 mW. The rms jitter of the output clock for the tw ...

#### 5 Multipoint audio and video control for packet-based multimedia conferencing

F. Gong

October 1994 **Proceedings of the second ACM international conference on Multimedia**Full text available:  pdf(979.60 KB)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

With the advent of broadband integrated services data network (B-ISDN) technologies such as Asynchronous Transfer Mode (ATM) networks, packet-based multimedia (e.g., live audio and video, animation, and text) conferencing is becoming a viable means for achieving virtual proximity, which enables us to overcome the physical separation in space and time and to interact more effectively in our science and engineering endeavors. To bring about the reality of virtual proximity, many technical iss ...

#### 6 Mixed analog-digital design: Digital background and blind calibration for clock skew error in time-interleaved analog-to-digital converters

David Camarero, Jean-François Naviner, Patrick Loumeau

September 2004 **Proceedings of the 17th symposium on Integrated circuits and system design**Full text available:  pdf(146.26 KB)Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

This paper deals with the problem of clock skew errors in time-interleaved analog-to-digital converters. Deterministic sample-time errors between time-interleaved channels generate nonlinear distortion and degrade SFDR. We propose a fully digital calibration method that uses, on the one hand, adaptive FIR filters to reconstruct a correctly sampled signal and, on the other hand, a new blind clock skew detection algorithm that guides the adaptive filters. This calibration method applies to any num ...

**Keywords:** adaptive filters, clock skew, digital calibration, parallel ADC, sample-time errors, time-interleaved

#### 7 Energy aware design: Dynamic frequency and voltage control for a multiple clock domain microarchitecture

Greg Semeraro, David H. Albonesi, Steven G. Dropsho, Grigorios Magklis, Sandhya

Dwarkadas, Michael L. Scott

November 2002 **Proceedings of the 35th annual ACM/IEEE international symposium on Microarchitecture**Full text available:  pdf(1.17 MB)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)[Publisher Site](#)

We describe the design, analysis, and performance of an on-line algorithm to dynamically control the frequency/voltage of a Multiple Clock Domain (MCD) microarchitecture. The MCD microarchitecture allows the frequency/voltage of microprocessor regions to be adjusted independently and dynamically, allowing energy savings when the frequency of some regions can be reduced without significantly impacting performance. Our algorithm achieves on average a 19.0% reduction in Energy Per Instruction (EPI) ...

#### 8 Low-level multimedia synchronization algorithms on broadband networks

Miguel Correia, Paulo Pinto

January 1995 **Proceedings of the third ACM international conference on Multimedia**

Full text available:  [html\(59.69 KB\)](#) Additional Information: [full citation](#), [references](#), [index terms](#)

**Keywords:** broadband networks, distributed multimedia systems, low-level synchronization

9 Synchronization in multimedia data retrieval

Anna Haj Hać, Cindy X. Xue

January 1997 **International Journal of Network Management**, Volume 7 Issue 1

Full text available:  [pdf\(487.64 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Synchronization of multiple medium streams in real time has been recognized as one of the most important requirements for multimedia applications based on broadband high-speed networks. This article presents a complete synchronization scheme for distributed multimedia information systems. © 1997 John Wiley & Sons, Ltd.

10 VLSI circuits: A globally asynchronous locally dynamic system for ASICs and SoCs

Atanu Chattopadhyay, Zeljko Zilic

April 2003 **Proceedings of the 13th ACM Great Lakes symposium on VLSI**

Full text available:  [pdf\(545.50 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)


An architecture that combines a Globally Asynchronous, Locally Synchronous (GALS) [1,2] design style with dynamic voltage and frequency scaling can use the slowest frequency possible to accomplish a task with minimum power consumption. The proposed Globally Asynchronous, Locally Dynamic System (GALDS) requires three distinct components: a novel bidirectional asynchronous FIFO to communicate between independently-clocked synchronous blocks [3], an all-digital dynamic clock generator to quickly an ...

**Keywords:** all-digital clock generation, asynchronous design, dynamic clock manager, globally asynchronous locally synchronous system

11 System architectures for computer music

John W. Gordon

June 1985 **ACM Computing Surveys (CSUR)**, Volume 17 Issue 2

Full text available:  [pdf\(4.61 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#), [review](#)

Computer music is a relatively new field. While a large proportion of the public is aware of computer music in one form or another, there seems to be a need for a better understanding of its capabilities and limitations in terms of synthesis, performance, and recording hardware. This article addresses that need by surveying and discussing the architecture of existing computer music systems. System requirements vary according to what the system will be used for. Common uses for co ...

12 The optimal logic depth per pipeline stage is 6 to 8 FO4 inverter delays

M. S. Hrishikesh, Doug Burger, Norman P. Jouppi, Stephen W. Keckler, Keith I. Farkas, Premkishore Shivakumar

May 2002 **ACM SIGARCH Computer Architecture News**, Volume 30 Issue 2

Full text available:  [pdf\(1.03 MB\)](#)  Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)  
[Publisher Site](#)

Microprocessor clock frequency has improved by nearly 40% annually over the past decade. This improvement has been provided, in equal measure, by smaller technologies and deeper pipelines. From our study of the SPEC 2000 benchmarks, we find that for a high-performance architecture implemented in 100nm technology, the optimal clock period is

approximately 8 fan-out-of-four (FO4) inverter delays for integer benchmarks, comprised of 6 FO4 of useful work and an overhead of about 2 FO4. The optimal c ...

**Keywords:** Pipelining, instruction queue clock rate

13 Adaptive hybrid clock discipline algorithm for the network time protocol

David L. Mills

October 1998 **IEEE/ACM Transactions on Networking (TON)**, Volume 6 Issue 5

Full text available:  [pdf\(163.51 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

**Keywords:** clock discipline algorithm, computer network time synchronization, feedback control loop, oscillator error modeling

14 Improved algorithms for synchronizing computer network clocks

David L. Mills

October 1994 **ACM SIGCOMM Computer Communication Review , Proceedings of the conference on Communications architectures, protocols and applications**, Volume 24 Issue 4

Full text available:  [pdf\(1.37 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The Network Time Protocol (NTP) is widely deployed in the Internet to synchronize computer clocks to each other and to international standards via telephone modem, radio and satellite. The protocols and algorithms have evolved over more than a decade to produce the present NTP Version 3 specification and implementations. Most of the estimated deployment of 100,000 NTP servers and clients enjoy synchronization to within a few tens of milliseconds in the Internet of today. This paper ...

15 Improved algorithms for synchronizing computer network clocks

David L. Mills


June 1995 **IEEE/ACM Transactions on Networking (TON)**, Volume 3 Issue 3

Full text available:  [pdf\(1.16 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#), [review](#)

16 Group F: synchronization: Adaptive clock synchronization in sensor networks

Santashil PalChaudhuri, Amit Kumar Saha, David B. Johnson

April 2004 **Proceedings of the third international symposium on Information processing in sensor networks**

Full text available:  [pdf\(176.03 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Recent advances in technology have made low cost, low power wireless sensors a reality. Clock synchronization is an important service in any distributed system, including sensor network systems. Applications of clock synchronization in sensor networks include data integration in sensors, sensor reading fusion, TDMA medium access scheduling, and power mode energy saving. However, for a number of reasons, standard clock synchronization protocols are unsuitable for direct application in sensor networks ...

**Keywords:** clock synchronization, probabilistic algorithms, sensor networks

17 Robust interfaces for mixed-timing systems with application to latency-insensitive protocols

Tiberiu Chelcea, Steven M. Nowick

June 2001 **Proceedings of the 38th conference on Design automation**

Additional Information:

Full text available:  pdf(124.41 KB)[full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper presents several low-latency mixed-timing FIFO designs that interface systems on a chip working at different speeds. The connected systems can be either synchronous or asynchronous. The design are then adapted to work between systems with very long interconnection delays, by migrating a single-clock solution by Carloni et al. (for "latency-insensitive" protocols) to mixed-timing domains. The new designs can be made arbitrarily robust with regard to metastability and i ...

### 18 Trunking of TDM and narrowband services over IP Networks

James Aweya

January 2003 **International Journal of Network Management**, Volume 13 Issue 1Full text available:  pdf(418.58 KB)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The recent interest in IP as the vehicle for transporting TDM and narrowband services stems from the possibility of using a common transport network for voice, video, and data, and the flexibility with which new services can be introduced. A key step in the evolution of networks towards a 'broadband' IP-based environment is the 'graceful' interworking of the IP networks with the existing networks and services, particularly with the circuit switched telephone network. A &l ...

### 19 A codesign virtual machine for hierarchical, balanced hardware/software system modeling


JoAnn M. Paul, Simon N. Peffers, Donald E. Thomas

June 2000 **Proceedings of the 37th conference on Design automation**Full text available:  pdf(164.21 KB)Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The Codesign Virtual Machine (CVM) is introduced as a next generation system modeling semantic. The CVM permits unrestricted system-wide software and hardware behaviors to be designed to a single scheduling semantic by resolving time-based (resource) and time-independent (state-interleaved) models of computation. CVM hierarchical relationships of bus and clock state domains provide a means of exploring hardware/software scheduling trade-offs to a consistent semantic model using top-down, bo ...

### 20 Flow synchronization protocol

Julio Escobar, Craig Partridge, Debra Deutsch

April 1994 **IEEE/ACM Transactions on Networking (TON)**, Volume 2 Issue 2Full text available:  pdf(1.26 MB)Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#), [review](#)

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)


[Advanced Search](#)  
[Preferences](#)

## Web

 Results 1 - 13 of about 16 for **"SYNC pulse" sampling compensation clock skew jitter**. (0.51 seconds)

### [\[PDF\] gm7030/gm7030-H](#)

File Format: PDF/Adobe Acrobat

 .. 17 5.3.5 **Sampling** Phase Adjustment ... the gm7030 offers image improvements through color correction/**compensation** and gamma ... VS R G B EN INT DDS **Clock** Generator Host ...

[www.gnss.com/products/C7030-DAT-01F.PDF](http://www.gnss.com/products/C7030-DAT-01F.PDF) - [Similar pages](#)

### [\[PDF\] Analog Applications Journal Q1, 2004 On-Line Issue](#)

 File Format: PDF/Adobe Acrobat - [View as HTML](#)

 .. same conversion **clock** so that data **skew** between A ... mately 106.6 ns, triggering a frame-**sync pulse** every 20 ... The **sampling clock** used for these applications can be ...

[focus.ti.com/lit/an/slyt053/slyt053.pdf](http://focus.ti.com/lit/an/slyt053/slyt053.pdf) - [Similar pages](#)

### [\[PDF\] Analog Applications Journal, Q2, 2004 On-Line Issue](#)

 File Format: PDF/Adobe Acrobat - [View as HTML](#)

 ... **Sampling** of the ADC occurs at a rate of 8 ... to be transferred and the ADC serial **clock** rate used ... transfer is complete before sending the next **sync pulse** to the ...

[focus.ti.com/lit/an/slyt060/slyt060.pdf](http://focus.ti.com/lit/an/slyt060/slyt060.pdf) - [Similar pages](#)

### [\[PDF\] MICRONAS](#)

File Format: PDF/Adobe Acrobat

 .. ADC Range 7 2.1.6. Digitally Controlled **Clock** Oscillator 7 ... Killer Operation 11  
 2.3.7. PAL **Compensation** /1-H ... Luminance Notch Filter 12 2.3.9. **Skew** Filtering 13 ...

[www.micronas.com/products/documentation/consumer/vdp31xxb/downloads/vdp31xxb\\_2pd.pdf](http://www.micronas.com/products/documentation/consumer/vdp31xxb/downloads/vdp31xxb_2pd.pdf) - [Similar pages](#)

### [\[PDF\] MICRONAS](#)

File Format: PDF/Adobe Acrobat

 ... Converters 12 2.2.5. Digitally Controlled **Clock** Oscillator 12 2.2 ... Standard Recognition  
 15 2.4.7. PAL **Compensation** /1-H ... Notch Filter 16 2.4.9. **Skew** Filtering 16 ...

[www.micronas.com/products/documentation/consumer/vct38xxab/downloads/vct38xxab\\_1pd.pdf](http://www.micronas.com/products/documentation/consumer/vct38xxab/downloads/vct38xxab_1pd.pdf) - [Similar pages](#)
[\[ More results from www.micronas.com \]](#)

### [Elmer Smalling's Digital Video Glossary 1996](#)

 .. line begins and ends with a horizontal **sync pulse**. ... A 2-dimensional vector used for notion **compensation** that provides ... sampled moves faster than the **sampling** rate ...

[home.texoma.net/~smalling/glos228a.htm](http://home.texoma.net/~smalling/glos228a.htm) - 72k - [Cached](#) - [Similar pages](#)

### [\[PDF\] MICRONAS](#)

File Format: PDF/Adobe Acrobat

 .. 6. Color Killer Operation 11 2.2.7. PAL **Compensation**/1-H ... A **sampling** stage performs 1-bit A/D conversion ... edge and computes the **skew** relative to the sample **clock**. ...

[3tv.sourceforge.net/download/vpx322xd.pdf](http://3tv.sourceforge.net/download/vpx322xd.pdf) - [Similar pages](#)

### [\[PDF\] Analog Applications Journal](#)

 File Format: PDF/Adobe Acrobat - [View as HTML](#)

 .. transfer of data Fast analog-to-digital (flash/pipeline) converters typically provide a digital conversion value with every **clock** cycle of the **sampling clock**. ...

[www.cse.ohio-state.edu/~gb/cis888.12g/Papers/tidsp.pdf](http://www.cse.ohio-state.edu/~gb/cis888.12g/Papers/tidsp.pdf) - [Similar pages](#)

### [\[PDF\] Analog Applications Journal](#)

 File Format: PDF/Adobe Acrobat - [View as HTML](#)

 .. At this time a new frame **sync pulse**, which overlaps the last ... such as the conversion node, the **sampling** mode, and ... mode operation and on-chip data **clock** and frame ...

[www.nalanda.nitc.ac.in/industry/appnotes/Texas/analog/slyt012a.pdf](http://www.nalanda.nitc.ac.in/industry/appnotes/Texas/analog/slyt012a.pdf) - Supplemental Result - [Similar pages](#)

**PDF] Short-Term Storage of Analog Signals for CNN Universal Machine ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)

Page 1. 1 Short-Term Storage of Analog Signals for CNN Universal Machine

Based Image Processing R. Carmona A. Rodríguez-Vázquez ...

[www.imse.cnm.es/.../Dissemination/FULL\\_TEXT/Short%20Term%20Storage%20of%20Analog%20Signals%20for%20CNN.pdf](http://www.imse.cnm.es/.../Dissemination/FULL_TEXT/Short%20Term%20Storage%20of%20Analog%20Signals%20for%20CNN.pdf) -[Similar pages](#)**PDF] Tektronix: Applications > Glossary of Video Terms and Acronyms ...**

File Format: PDF/Adobe Acrobat

.. Visual process whereby approximate **compensation** is made ... Ancillary program data,especially program **clock** refer- ence ... especially when interframe **sampling** is used ...[www.tek.com/Measurement/App\\_Notes/25\\_15215/eng/25W\\_15215\\_0\\_PartI.pdf](http://www.tek.com/Measurement/App_Notes/25_15215/eng/25W_15215_0_PartI.pdf) - [Similar pages](#)**PDF] Tektronix: Applications > Glossary of Video Terms and Acronyms ...**

File Format: PDF/Adobe Acrobat

... Digital – The composite signal **sampling** format specified ... PCRI (Interpolated Program**Clock** Reference) – A PCR ... that enables changing the **skew** and perspective ...[www.tek.com/Measurement/App\\_Notes/25\\_15215/eng/25W\\_15215\\_0\\_PartIII.pdf](http://www.tek.com/Measurement/App_Notes/25_15215/eng/25W_15215_0_PartIII.pdf) - [Similar pages](#)**PDF] Digital Transmitter or Video Encoder Combo**File Format: PDF/Adobe Acrobat - [View as HTML](#).. Four 10-Bit DACs D 2X Over-**sampling** and Optimized ... and the desired horizontal andvertical overscan **compensation** ratios ... to DATA[11:0] bus and to **clock** out timing ...[www.fulcrum.ru/Read/CDROMs/TI-2001.June/docs/slides118.pdf](http://www.fulcrum.ru/Read/CDROMs/TI-2001.June/docs/slides118.pdf) - Supplemental Result - [Similar pages](#)

*order to show you the most relevant results, we have omitted some entries very similar to the 13 already displayed.*

*you like, you can repeat the search with the omitted results included.*

 
[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)
[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)

"richard adkisson" skew

Search

[Advanced Search](#)  
[Preferences](#)

## Web

Tip: Try removing quotes from your search to get more results.

Your search - **"richard adkisson" skew** - did not match any documents.

### Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.
- Try fewer keywords.

Also, you can try [Google Answers](#) for expert help with your search.

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google




[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)


[Advanced Search](#)  
[Preferences](#)

## Web

 Results 1 - 25 of about 35 for "**SYNC pulse**" **sampling compensation clock skew**. (0.70 seconds)

### [PDF\] ADV7202 Simultaneous Sampling Video Rate Codec Data Sheet \(REV.0\)](#)

 File Format: PDF/Adobe Acrobat - [View as HTML](#)

.. It has the capability of **sampling** up to five NTSC/PAL ... 0 mA Analog Output Delay 3  
 1.5 ns DAC Output **Skew** 0.06 ns ... from 50% of the rising edge of the **clock** to the ...  
[www.analog.com/UploadedFiles/Data\\_Sheets/416834862ADV7202\\_0.pdf](http://www.analog.com/UploadedFiles/Data_Sheets/416834862ADV7202_0.pdf) - [Similar pages](#)

### [\[PDF\] ADV7175A/ADV7176A\\* High Quality, 10-Bit, Digital CCIR-601 to PAL ...](#)

 File Format: PDF/Adobe Acrobat - [View as HTML](#)

... PAL/NTSC Video Encoder High Quality 10-Bit Video DACs Integral Nonlinearity <1 LSB  
 at 10 Bits NTSC-M, PAL-M/N, PAL-B/D/G/H/I Single 27 MHz **Clock** Required ( 2 ...  
[www.analog.com/UploadedFiles/Data\\_Sheets/363785071ADV7175A\\_6A\\_c.pdf](http://www.analog.com/UploadedFiles/Data_Sheets/363785071ADV7175A_6A_c.pdf) - [Similar pages](#)

### [PDF\] VPC 3205C, VPC 3215C Video Processor Family](#)

File Format: PDF/Adobe Acrobat

.. or color **compensation** – PAL: color **compensation** – SECAM: crossover ... 9. **Skew** Filtering  
 The system **clock** is free ... Therefore, the ADC **sampling** pattern is not ...  
[www.micronas.com/products/documentation/consumer/vpc3205c/downloads/vpc32x5c\\_2pd.pdf](http://www.micronas.com/products/documentation/consumer/vpc3205c/downloads/vpc32x5c_2pd.pdf) - [Similar pages](#)

### [\[PDF\] MICRONAS](#)

File Format: PDF/Adobe Acrobat

... Converters 12 2.2.5. Digitally Controlled **Clock** Oscillator 12 2.2 ... Standard Recognition  
 15 2.4.7. PAL **Compensation** /1-H ... Notch Filter 16 2.4.9. **Skew** Filtering 16 ...  
[www.micronas.com/products/documentation/consumer/vct38xxab/downloads/vct38xxab\\_1pd.pdf](http://www.micronas.com/products/documentation/consumer/vct38xxab/downloads/vct38xxab_1pd.pdf) - [Similar pages](#)  
[\[ More results from www.micronas.com \]](#)

### [PDF\] USER SPACECRAFT CLOCK CALIBRATION SYSTEM \(USCCS\) USERS' GUIDE](#)

 File Format: PDF/Adobe Acrobat - [View as HTML](#)

.. 4-1 4.2 **Clock** Calibration Overview ... 4-9 4.6 Doppler **Compensation** Enabled/Inhibited ...  
[nmsp.gsfc.nasa.gov/tdrss/usccs.pdf](http://nmsp.gsfc.nasa.gov/tdrss/usccs.pdf) - [Similar pages](#)

### [PDF\] Analog Applications Journal Q1, 2004 On-Line Issue](#)

 File Format: PDF/Adobe Acrobat - [View as HTML](#)

.. same conversion **clock** so that data **skew** between A ... mately 106.6 ns, triggering a  
 same-**sync pulse** every 20 ... The **sampling clock** used for these applications can be ...  
[ocus.ti.com/lit/an/slyt053/slyt053.pdf](http://ocus.ti.com/lit/an/slyt053/slyt053.pdf) - [Similar pages](#)

### [\[PDF\] Analog Applications Journal, Q2, 2004 On-Line Issue](#)

 File Format: PDF/Adobe Acrobat - [View as HTML](#)

... **Sampling** of the ADC occurs at a rate of 8 ... to be transferred and the ADC serial **clock**  
 rate used ... transfer is complete before sending the next **sync pulse** to the ...  
[focus.ti.com/lit/an/slyt060/slyt060.pdf](http://focus.ti.com/lit/an/slyt060/slyt060.pdf) - [Similar pages](#)

### [PDF\] gm7030/gm7030-H](#)

File Format: PDF/Adobe Acrobat

.. 17 5.3.5 **Sampling** Phase Adjustment ... the gm7030 offers image improvements through color  
 correction/**compensation** and gamma ... VS R G B EN INT DDS **Clock** Generator Host ...  
[www.gnss.com/products/C7030-DAT-01F.PDF](http://www.gnss.com/products/C7030-DAT-01F.PDF) - [Similar pages](#)

### [PDF\] PXI-Based Instrument Selection Guide](#)

 File Format: PDF/Adobe Acrobat - [View as HTML](#)

.. By using the "ping pong" mode, the **sampling** rate is up to 120 MS/s ... AD Converter AD  
 Converter AIO Analog Circuitry External Digital Trigger and **Clock** Input FPGA ...  
[www.adlinktech.com/products/catalogue/C4-1-1/03\\_PXI\\_Based\\_Instruments.pdf](http://www.adlinktech.com/products/catalogue/C4-1-1/03_PXI_Based_Instruments.pdf) - [Similar pages](#)

## Elmer Smalling's Digital Video Glossary 1996

.. of one quantizing level) to the signal before **sampling**. ... line begins and ends with a horizontal **sync pulse**. ... Motion **Compensation** - The use of vectors to improve ...  
[home.texoma.net/~smalling/glos228a.htm](http://home.texoma.net/~smalling/glos228a.htm) - 72k - [Cached](#) - [Similar pages](#)

## PDF] MICRONAS

File Format: PDF/Adobe Acrobat  
 .. 6. Color Killer Operation 11 2.2.7. PAL **Compensation**/1-H ... A **sampling** stage performs 1-bit A/D conversion ... edge and computes the **skew** relative to the sample **clock**. ...  
[3tv.sourceforge.net/download/vpx322xd.pdf](http://3tv.sourceforge.net/download/vpx322xd.pdf) - [Similar pages](#)

## PDF] DMSP Processing Guide

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
 .. their own **clock** as there is no **clock** in the ... 40 is closer to a constant spatial **sampling** across scan ... The OLS incorporates a motion **compensation** mirror to adjust ...  
[ipoesslib.ipo.noaa.gov/techlib/doc65/doc65.pdf](http://ipoesslib.ipo.noaa.gov/techlib/doc65/doc65.pdf) - [Similar pages](#)

## Video Microscope - Glossary

.. cold-junction **compensation** An artificial reference level that ... Nyquist **sampling** theorem  
 \ theorem that states that ... This **sync pulse** is used by video equipment to ...  
[www.visionneeds.com/glossary.htm](http://www.visionneeds.com/glossary.htm) - 54k - [Cached](#) - [Similar pages](#)

## PDF] Analog Applications Journal

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
 .. transfer of data Fast analog-to-digital (flash/pipeline) converters typically provide a digital conversion value with every **clock** cycle of the **sampling clock**. ...  
[www.cse.ohio-state.edu/~gb/cis888.12g/Papers/tidsp.pdf](http://www.cse.ohio-state.edu/~gb/cis888.12g/Papers/tidsp.pdf) - [Similar pages](#)

## PDF] Short-Term Storage of Analog Signals for CNN Universal Machine ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
 Page 1. 1 Short-Term Storage of Analog Signals for CNN Universal Machine  
 Based Image Processing R. Carmona A. Rodríguez-Vázquez ...  
[www.imse.cnm.es/.../Dissemination/FULL\\_TEXT/Short%20Term%20Storage%20of%20Analog%20Signals%20for%20CNN.pdf](http://www.imse.cnm.es/.../Dissemination/FULL_TEXT/Short%20Term%20Storage%20of%20Analog%20Signals%20for%20CNN.pdf) - [Similar pages](#)

## PDF] Swan™ ES4308 DVD Processor Chip Data Sheet

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
 .. MPEG audio layer 2 • Linear PCM streams for 48 KHz and up to 96 KHz • S/PDIF audio output • Supports 256/384/512 Fs audio system **clock** Smart Technology ...  
[lvd.negge.de/Raite-RPD713-based/Hardware/Mainboard/Prozessor/ESS%20ES4308%20Datasheet\(DVD-Decoder\).pdf](http://lvd.negge.de/Raite-RPD713-based/Hardware/Mainboard/Prozessor/ESS%20ES4308%20Datasheet(DVD-Decoder).pdf) - [Supplemental Result](#) - [Similar pages](#)

## PDF] WinCamD

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
 .. This chip is directly addressed via customized gate arrays. The chip is driven by an 8 MPixel/s readout **clock** (16 MHz master **clock**). ...  
[home.ncifcrf.gov/ccr/flowcore/WinCamDMan.pdf](http://home.ncifcrf.gov/ccr/flowcore/WinCamDMan.pdf) - [Similar pages](#)

## PDF] Technical Service Manual

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
 .. 10-1 10.2 Read **Skew** Measurement .....10-2 10.2.1 General Information ...  
[www.qualstar.com/500450.pdf](http://www.qualstar.com/500450.pdf) - [Similar pages](#)

## PDF] Analog Applications Journal

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
 .. At this time a new frame **sync pulse**, which overlaps the last ... such as the conversion mode, the **sampling** mode, and ... mode operation and on-chip data **clock** and frame ...  
[www.nalanda.nitc.ac.in/industry/appnotes/Texas/analog/slyt012a.pdf](http://www.nalanda.nitc.ac.in/industry/appnotes/Texas/analog/slyt012a.pdf) - [Supplemental Result](#) - [Similar pages](#)

[PDF\] The Digital Revolution](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

.. **Sampling** the Pictures To digitise a TV signal, each picture frame is scanned line-by-line in a ... 6 - 21 Motion **Compensation** Another form of temporal redundancy. ...

[www.beyondbl.net/Assets/pdf/6digital.pdf](http://www.beyondbl.net/Assets/pdf/6digital.pdf) - [Similar pages](#)

[PDF\] Tektronix: Applications > Glossary of Video Terms and Acronyms ...](#)

File Format: PDF/Adobe Acrobat

.. Visual process whereby approximate **compensation** is made ... Ancillary program data, especially program **clock** refer- ence ... especially when interframe **sampling** is used ...

[www.tek.com/Measurement/App\\_Notes/25\\_15215/eng/25W\\_15215\\_0\\_PartI.pdf](http://www.tek.com/Measurement/App_Notes/25_15215/eng/25W_15215_0_PartI.pdf) - [Similar pages](#)

[\[PDF\] Tektronix: Applications > Glossary of Video Terms and Acronyms ...](#)

File Format: PDF/Adobe Acrobat

... Digital – The composite signal **sampling** format specified ... PCRI (Interpolated Program **Clock** Reference) – A PCR ... that enables changing the **skew** and perspective ...

[www.tek.com/Measurement/App\\_Notes/25\\_15215/eng/25W\\_15215\\_0\\_PartIII.pdf](http://www.tek.com/Measurement/App_Notes/25_15215/eng/25W_15215_0_PartIII.pdf) - [Similar pages](#)

[PDF\] Digital Transmitter or Video Encoder Combo](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

.. Four 10-Bit DACs D 2X Over-**Sampling** and Optimized ... and the desired horizontal and vertical overscan **compensation** ratios ... to DATA[11:0] bus and to **clock** out timing ...

[www.fulcrum.ru/Read/CDROMs/TI-2001.June/docs/slds118.pdf](http://www.fulcrum.ru/Read/CDROMs/TI-2001.June/docs/slds118.pdf) - Supplemental Result - [Similar pages](#)

[PDF\] Service Manual TDS 410A, TDS 420A & TDS 460A Digitizing ...](#)

File Format: PDF/Adobe Acrobat

.. Figure 4-2: Verifying Adjustments and Signal Path **Compensation** 4-6 ... Figure

I-18: Adjusting **Sync Pulse** Amplitude 4-49 . . . . .

[www.austincc.edu/cloud/manuals/Tektronix/70921701.PDF](http://www.austincc.edu/cloud/manuals/Tektronix/70921701.PDF) - Supplemental Result - [Similar pages](#)

[Test Engineering Glossary: Terms and Definitions](#)

.. cold-junction **compensation** - An artificial reference level that ... Nyquist **sampling** theorem  
A theorem that states ... This **sync pulse** is used by video equipment to ...

[www.ateworld.com/glossary/](http://www.ateworld.com/glossary/) - 90k - [Cached](#) - [Similar pages](#)

*order to show you the most relevant results, we have omitted some entries very similar to the 25 already displayed.*

*you like, you can repeat the search with the omitted results included.*

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)

"SYNC pulse" "sampling compensation"

Search

[Advanced Search](#)  
[Preferences](#)

## Web

Tip: Try removing quotes from your search to get more results.

Your search - **"SYNC pulse" "sampling compensation"** - did not match any documents.

### Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.
- Try fewer keywords.

Also, you can try [Google Answers](#) for expert help with your search.

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google